ELSEVIER

Environmental Pollution 123 (2003) I–III

ENVIRONMENTAL POLLUTION

www.elsevier.com/locate/envpol

Contents of Volume 123

Number 1 2003

1 The effect of an industrial effluent on an urban stream benthic community: water quality vs. habitat quality
E.J. NEDEAU, R.W. MERRITT, M.G. KAUFMAN (USA)
Discharges that affect both water quality and habitat quality can have complex effects on flowing water communties.

15 Thermoluminescence as a tool for monitoring ozone-stressed plants
J. SKOTNICA, M. GILBERT, I. WEINGART, C. WILHELM (Germany)
Thermoluminescence parameters are more sensitive to ozone than fluorescence parameters (F_0, F_M, F_v/F_M).

21 Rodent sperm analysis in field-based ecological risk assessment: pilot study at Ravenna army ammunition plant, Ravenna, Ohio
L.V. TANNENBAUM, M. BAZAR, M.S. HAWKINS, B.W. CORNABY, E.A. FERGUSON, L.C. CARROLL, P.F. RYAN (USA)
Rodent sperm analysis is a visable method for use in field studies of risk at contaminated sites.

31 Tributyltin accumulation and effects in marine molluscs from West Greenland
J. STRAND, G. ASMUND (Denmark)
Tributyltin is accumulated in marine molluscs living in Greenland, with the highest levels found in harbour areas.

39 Photolysis of polycyclic aromatic hydrocarbons adsorbed on spruce [*Picea abies* (L.) Karst.] needles under sunlight irradiation
J. NIU, J. CHEN (PR China), D. MARTENS (Germany), X. QUAN, F. YANG, A. KETTRUP (PR China), K.-W. SCHRAMM (Germany)
Photolysis of PAHs on surfaces may determine their ultimate fate in the environment.

47 Estrogenic and esterase-inhibiting potency in rainwater in relation to pesticide concentrations, sampling season and location
T. HAMERS, P.J. VAN DEN BRINK, L. MOS, S.C. VAN DER LINDEN, J. LEGLER, J.H. KOEMAN, A.J. MURK (The Netherlands)
Estrogenic potency of rainwater correlated well with organochlorine concentrations, but could not be attributed to specific pesticides.

67 Copper and lead concentrations in salt marsh plants on the Suir Estuary, Ireland
E.J. FITZGERALD, J.M. CAFFREY (Ireland), S.T. NESARATNAM (UK), P. MCLOUGHLIN (Ireland)
Salinity influences the translocation of Cu and Pb in salt marsh plants.

75 Acidification-induced chemical changes in coniferous forest soils in southern Sweden 1988–1999
U. JÖNSSON, U. ROSENGREN, G. THELIN, B. NIHLGÅRD (Sweden)
Acidification of south-Swedish coniferous forest soils continues and soil nutrient status is no longer sustainable in a long-term perspective.

85 Mercury and organochlorine content of Dipper *Cinclus cinclus* eggs in south-west Ireland: trends during 1990–1999
J. O'HALLORAN, S. IRWIN, S. HARRISON, P. SMIDDY, B. O'MAHONY (Ireland)
A baseline for organochlorines in Irish freshwater ecosystems has been established.

95 Heavy metal levels and solid phase speciation in street dusts of Delhi, India
A.D.K. BANERJEE (India)
Although the street dusts of Delhi contain considerably high levels of Cr, Ni, Cu, Cd, Zn and Pb, solid phase speciation results indicate comparatively limited environmental mobility and bioavailability of Ni and Cr.

107 The potential use of constructed wetlands in a recirculating aquaculture system for shrimp culture
Y.-F. LIN, S.-R. JING, D.-Y. LEE (Taiwan, ROC)
Constructed wetlands improved water qualities and consequently increased the shrimp growth and survival in a recirculating system.

115 An ozone budget for the UK: using measurements from the national ozone monitoring network; measured and modelled meteorological data, and a 'big-leaf' resistance analogy model of dry deposition
M. COYLE, R. SMITH, D. FOWLER (UK)
A method of calculating a mass budget for O_3 in the UK boundary layer is presented which shows that the spatial scale of the UK is small relative to the footprint of the atmosphere influenced by UK emissions.

125 Validation of isotope signatures in sediments affected by anthropogenic inputs from uranium series radionuclides
E.G. SAN MIGUEL, J.P. PÉREZ-MORENO, J.P. BOLÍVAR, R. GARCÍA-TENORIO (Spain)
^{137}Cs validates Th and Ra isotope ratio dating of contaminated sediments.

131 Rhizosphere characteristics of indigenously growing nickel hyperaccumulator and excluder plants on serpentine soil
W.W. WENZEL, M. BUNKOWSKI, M. PUSCHENREITER, O. HORAK (Austria)
Field study reinforces that root exudates may contribute to nickel hyperaccumulation in Thlaspi goesingense *Hálácsy.*

139 Accumulation and distribution of heavy metals in the grey mangrove, *Avicennia marina* (Forsk.)Vierh.: biological indication potential
G.R. MACFARLANE, A. PULKOWNIK, M.D. BURCHETT (Australia)
Mangrove roots may serve as a sensitive bio-indicator for metal pollution in estuarine systems.

PII: S0269-7491(03)00106-4

153 Increased persistence of antifouling paint biocides when associated with paint particles
K.V. THOMAS, M. MCHUGH, M. HILTON, M. WALDOCK (UK)
Release of biocides associated with paint particles into marinas may increase their persistence in the environment.

Number 2 2003

163 The behaviour of residual contaminants at a former station site, Antarctica
J. WEBSTER, K. WEBSTER, P. NELSON, E. WATERHOUSE (New Zealand)
Minor contamination by metals, phosphorus, and fuel products were found at a former research station site in Antarctica.

181 Total and methyl mercury concentrations and fluxes from small boreal forest catchments in Finland
P. PORVARI, M. VERTA (Finland)
Peatlands have higher methyl mercury output than uplands.

193 Functional and structural rearrangements of salivary gland polytene chromosomes of *Chironomus riparius* Mg. (Diptera, Chironomidae) in response to freshly neutralized aluminium
P. MICHAILOVA, J. ILKOVA (Bulgaria), K.N. WHITE (UK)
Aluminium impacts on aquatic biota can be detected using polytene chromosomes as bio-markers

209 Ozone differentially affects physiological and biochemical responses of two clover species; *Trifolium repens* and *Trifolium pratense*
F. SCEBBA, G. SOLDATINI, A. RANIERI (Italy)
Trifolium repens *and* Trifolium pratense *are differentially affected by realistic concentrations of the atmospheric pollutant ozone.*

217 Assessment of adsorption behavior of dibutyltin (DBT) to clay-rich sediments in comparison to the highly toxic tributyltin (TBT)
M. HOCH (Germany), J. ALONSO-AZCARATE (Spain), M. LISCHICK (Germany)
Adsorption of dibutyltin to marine sediments is influenced by the type of predominating clay material.

229 Copper bioavailability and extractability as related to chemical properties of contaminated soils from a vine-growing area
V. CHAIGNON, I. SANCHEZ-NEIRA, P. HERRMANN, B. JAILLARD, P. HINSINGER (France)
Root Cu concentration is a good indicator of soil Cu bioavailability.

239 Predicting the release of metals from ombrotrophic peat due to drought-induced acidification
E. TIPPING, E.J. SMITH, A.J. LAWLOR, S. HUGHES, P.A. STEVENS (UK)
Metals stored in peats can be remobilised by sulphuric acid, generated by the drought-induced oxidation of reduced sulphur.

255 Composition and element solubility of magnetic and non-magnetic fly ash fractions
U. KUKIER (USA), C.F. ISHAK (Malaysia), M.E. SUMNER, W.P. MILLER (USA)
Non-magnetic fractions of alkaline fly ashes have greater value as soil amendments due to a higher liming potential.

267 Effects of phytosterols on zebrafish reproduction in multigeneration test
T. NAKARI, K. ERKOMAA (Finland)
A multigeneration test is used to show disruption of the reproductive system by phytosterols.

275 Monitoring the effects of atmospheric ethylene near polyethylene manufacturing plants with two sensitive plant species
A.E.G. TONNEIJCK, W.F. TEN BERGE, B.P. JANSEN (The Netherlands)
Atmospheric ethylene from polyethylene manufacturing plants adversely affected the number of flowers and growth of field-grown marigold and petunia.

281 Correlation between the nitrogen concentration of two epiphytic lichens and the traffic density in an urban area
S. GOMBERT, J. ASTA (France), M.R.D. SEAWARD (UK)
Nitrogen concentrations of the lichen Physcia adscendens *are related to traffic exposure.*

291 Organic compounds and trace metals of anthropogenic origin in sediments from Montego Bay, Jamaica: assessment of sources and distribution pathways
R. JAFFÉ, P.R. GARDINALI, Y. CAI, A. SUDBURRY, A. FERNANDEZ, B.J. HAY (USA)
Sources and distribution pathways were identified.

301 The effect of iron-ore particles on the metal content of the brown alga *Padina gymnospora* (Espi.:.rito Santo Bay, Brazil)
C.A.G. NASSAR, L.T. SALGADO, Y. YONESHIGUE-VALENTIN, G.M. AMADO FILHO (Brazil)
Iron ore deposits mat be the source of metals found in the brown alga Padina gymnospora.

307 On the local and regional influence on ground-level ozone concentrations in Hong Kong
K.L. SO, T. WANG (Peoples Republic of China)
It is imperative to consider regional scale emissions and dynamic transport in managing ozone pollution in Hong Kong.

319 Concentrations of heavy metals in *Sotalia fluviatilis* (Cetacea: Delphinidae) off the coast of Ceará, northeast Brazil
C. MONTEIRO-NETO, R.V. ITAVO, L.E.S. MORAES (Brazil)
As a top predator, Sotalia fluviatilis *may be at risk from pollutants from outfalls.*

Number 3 2003

325 Foreword
M.R. WATSON, G. SISTLA (USA)

327 Effects of acidic deposition on forest and aquatic ecosystems in New York State
C.T. DRISCOLL, K.M. DRISCOLL, M.J. MITCHELL, D.J. RAYNAL (USA)
Elevated inputs of acidic deposition have deleterious effects on forest and aquatic ecosystems in New York.

337 Analysis of ambient, precipitation-weighted, and lake sulfate concentrations in the Adirondack region of New York
K. CIVEROLO, E. BRANKOV, S.T. RAO, K. ROY, P. LEWIS, P. GALVIN (USA)
Ambient, wet deposition, and lake water sulfate concentrations have been decreasing in the Adirondack Mountain region of New York.

347 Abundance of *Alnus incana* ssp. *rugosa* in Adirondack Mountain shrub wetlands and its influence on inorganic nitrogen
B.D. KIERNAN, T.M. HURD, D.J. RAYNAL (USA)
The presence of the nitrogen-fixing shrub, Alnus incana *ssp.* rugosa, *influences the concentration of inorganic nitrogen in surface waters in the Adirondack Mountain region of northern New York.*

355 Nitrogen biogeochemistry in the Adirondack Mountains of New York: hardwood ecosystems and associated surface waters
M.J. MITCHELL, C.T. DRISCOLL, S. INAMDAR, G.G. MCGEE, M.O. MBILA, D.J. RAYNAL (USA)
Factors that regulate the fate of atmospherically deposited nitrogen to hardwood forests and subsequent transport to surface waters in the Adirondack region of New York are described.

365 Contributions of global and regional sources to mercury deposition in New York State
C. SEIGNEUR, K. LOHMAN, K. VIJAYARAGHAVAN, R.-L. SHIA (USA)
A global/continental atmospheric modeling system was used to obtain preliminary estimates of the contributions of major source areas to mercury deposition in New York State.

375 Preparation of mercury emissions inventory for eastern North America
C. WALCEK, S. DE SANTIS, T. GENTILE (USA)
Maps showing the spatial distribution of speciated mercury emissions in eastern North America are presented.

383 A 40+ year record of Cd, Hg, Pb, and U deposition in sediments of Patroon Reservoir, Albany County, NY, USA
J.G. ARNASON, B.A. FLETCHER (USA)
Upstream, sediment Cd, Hg, Pb and U concentrations in Patroon Reservoir are significantly above levels detrimental to aquatic organisms.

393 NARSTO fine-particle and ozone assessments
J.M. HALES (USA)
The NARSTO ozone and fine-particle assessments compile and present policy-relevant scientific information.

399 A study of air pollutants and acute asthma exacerbations in urban areas: status report
D. LUTTINGER, L. WILSON (USA)
Details of a study to investigate the possible roles of a variety of hazardous air pollutants on asthma exacerbations at ambient air concentrations.

403 Assessing the effects of transboundary ozone pollution between Ontario, Canada and New York, USA
E. BRANKOV, R.F. HENRY, K.L. CIVEROLO, W. HAO, S.T. RAO (USA), P.K. MISRA, R. BLOXAM, N. REID (Canada)
Observations and modeling results were used to examine spatial scales and transport patterns of ozone pollution in the Ontario–New York region.

413 Measured summertime concentrations of particulate components, Hg^0, and speciated polycyclic aromatic hydrocarbons at rural sites in New York State
P.K. HOPKE, W. LIU, Y.-J. HAN, S.-M. YI, T.M. HOLSEN, S. CYBART, M. MILLIGAN (USA)
Measurements of particulate species and Hg^0 show significant interannual differences for the summers of 2000 and 2001, attributed to differences in synoptic weather patterns.

427 Fine urban and precursor emissions control for diesel urban transit buses
T. LANNI (USA)
This is a groundbreaking study of the characterization and control of fine particulate and its precursors associated with urban transit buses.

439 Spatial and temporal variations in the trace elemental data over the northeastern United States
G.A. ATHANASSIADIS, S.T. RAO (USA)
Time series, statistical, and trajectory techniques show the importance of meteorology in the accumulation of trace elements, and the spatial extent of pollution transport in New York State.

451 Creating markets for combined heat and power and clean distributed generation in New York State
T.G. BOURGEOIS, B. HEDMAN, F. ZALCMAN (USA)
Combined heat and power has been indentified as a central component in state and national energy strategy to lower power prices and reduce environmental impacts.

I Contents of Volume 123